## BREAST CANCER TREATMENTS FOR WAIKATO WOMEN WITH NEWLY DIAGNOSED BREAST CANCER 2005 – 2008



Ooi C(\*), Ellis S, Campbell I(\*), Hamilton MA, Lawrenson R, Kuper M, Round G, Lamont D, Tamatea D. Waikato Breast Cancer Trust and Breast Care Centre, Waikato Hospital, Hamilton, New Zealand




## **Objectives:**

The Waikato Breast Cancer Register (WBCR) is a comprehensive regional population database of breast cancer diagnosed since 2005. Overall, the outcomes for women with newly diagnosed breast cancer in New Zealand is relatively good. Despite this, women in New Zealand still face a 20% greater chance of dying from breast cancer compared to women in Australia. This analysis seeks to examine treatment patterns in Waikato women. It is important to examine reasons why this might be.

## Methods:

The database encompasses the breast cancer population for both screening and symptomatic presentations. Data is also collected relating to surgical procedures and adjuvant treatments including any chemotherapy, radiotherapy or endocrine therapies prescribed.





## **References:**

chemotherapy rates.

1. Armstrong W, Borman B. Breast cancer in New Zealand: trends, patterns and data quality. NZ Med J 1996:109:221-224

stage at presentation, Maori and Pacific Island women are requiring more aggressive treatment; including higher mastectomy and adjuvant

Fax (07) 8343657 Email: <u>Jenni.scarlet@waikatodhb.health.nz</u>

Phone: (07) 8398726 ext 7916

Hamilton 3240